

MSDS REPORT



CERTIFICATE QUERY

Report Query

Sample Name: NY-CABLE

Model No.: DRAG300A, DRAG300P, DRAG300SP, DRAG300VP, DRAG600, DRAG600A, DRAG300SVP, DRAG300SP, DRAG800, DRAG800A, DRAG800P, DRAG800VP, DRAG800SP, DRUM500, DRUM800, F300VFB, F300, F300FF, SERV0400, SERV0430, PI60, PI80, PI60, FW, FW2000, TRVV, RVV-NBR, YVFB, YFFB, YVFBG, YFFBG, RVV1G, RVV2G, RVVY, RVVP, PUR800, "DRAGX, DRAGXA, DRAGXP, DRAGXVP, DRAGXVP, DRAGXA, DRAGXSP, DRAGXVP, DRAGXSP, DRAGXSVP, DRUMX, FXVFB, FX, FXFF, SERVX, PX, FWX, TRVVX, RVVX, YVFBX, YFFBX, YVFBGX, YFFBGX, YFFBGX, RVVXG, RVVYX, RVVPX, PURX, TW05, TW05U, TWX, "X"can be 0000-9999"

Sample Model: DRAG300

Sample Received Date: 2022-10-20

Completion Date: 2022-10-25

Client Unit: Nanyou cable (Shanghai) Co. , Ltd.

Client Address: Building 2, Lane 4880, Hunan Highway, Pudong New District, Shanghai

Client ID: CA9892

Manufacturer: Nanyou cable (Shanghai) Co. , Ltd.

Manufacturer Address: Building 2, Lane 4880, Hunan Highway, Pudong New District, Shanghai

Signed for Beide (Shenzhen) Product Service Limited

Written by:

Chen Qin
(Chen Qin)

Inspected by:

Austin Zhong
(Austin Zhong)

Approved by:

Martin Wang
Beide
Compliance Laboratory
(Martin Wang)

This report is considered invalidated without the Special Seal for Inspection of the Beide (Shenzhen) Product Service Limited. This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Beide (Shenzhen) Product Service Limited, this test report shall not be copied except in full and published as advertisement.

1. Identification of substance/preparation and company/undertaking

Identification of substance or preparation

Product name: NY-CABLE

Company/undertaking identification

Manufacturer: Nanyou cable (Shanghai) Co. , Ltd.

2. Composition/information on ingredients

Substance/preparation:

Ingredient name	CAS Number	EC#	Weight(%)
TPEE	--	--	34
Wrapped in aluminium foil	7429-90-5	231-072-3	13
Synthetic Nitrile	109-74-0	203-700-6	7
Synthetic cotton	--	--	2
Built-in copper wire	7440-50-8	231-159-6	44

3. Hazards identification

Classification : Not classified

Potential Health Effects : Products of combustion may irritate skin and eyes. Inhalation will cause irritation to the lungs and mucous membrane. Irritation to the eyes will cause watering and redness. Reddening, scaling, and itching are characteristics of skin inflammation. No specific health hazards for normal use.

4. First-aid measures

Inhalation : In general, it is impossible to inhale. However, fresh air should be breathed when inhaling too much gas from the product. Perform artificial respiration if necessary and call a doctor.

Ingestion : If swallowed, call a physician immediately.

Skin contact : There is no special symptom in normal contact with skin. Call a physician if irritation occurs.

Eye contact : Clean up foreign bodies that may fall into your eyes. If there is any discomfort, please call the doctor.

This report is considered invalidated without the Special Seal for Inspection of the Beide (Shenzhen) Product Service Limited, This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Beide (Shenzhen) Product Service Limited, this test report shall not be copied except in full and published as advertisement.

5. Fire-fighting measures

Flammable

Suitable extinguishing media : Carbon dioxide, chemical powder, foam fire extinguisher, sand, soil, water mist.

Special hazards of product : High temperature heating may release harmful gases.

Protective equipment for firefighting: Firefighters wear gas masks, helmets, fire fighting clothing and gloves.

6. Accidental release measures

Personal precautions : Utilize recommended protective clothing and equipment.

Environmental precautions : Material should be swept up and discarded in accordance with applicable federal, state, and local regulations.

Spillage : Clean spills in a manner that does not disperse dust into the air. Spill area can be washed with water.

7. Handling and storage

Handling : Avoid friction and contact with liquids such as water during handling.

Storage : The storage area needs to be well ventilated, no open flames are allowed in the storage area, and direct sunlight is avoided.

8. Exposure controls/personal protection

Eye Protection : Wear safety glasses when necessary.

Respiratory Protection : Respirator should be used if necessary.

Skin Protection : Wear work clothes and safety shoes.

Ventilation : Good general or local exhaust ventilation are required for usage.

9. Physical and chemical properties

General information

Appearance

Physical state : Solid

Odor : None

Colour : Black

Flash point : None

Melting point : None

Absorption wavelength : None

Prohibited content : None

This report is considered invalidated without the Special Seal for Inspection of the Beide (Shenzhen) Product Service Limited, This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Beide (Shenzhen) Product Service Limited, this test report shall not be copied except in full and published as advertisement.

10. Stability and reactivity

Stability : The product is stable. Under normal conditions of storage and use hazardous Polymerization will not occur.

Conditions to avoid: Fire source and strong oxidant.

Hazardous decomposition: Thermal decomposition may contain toxic carbon compounds and nitrogen oxides.

11. Toxicological information

Acute toxicity : No information
Germ cell mutagenicity : No information.
Carcinogenicity : No information.
Reproductive toxicity : No information.

12. Ecological information

Ecotoxicity : No information.
Persistence and degradation : No information.
Bioaccumulation or bioaccumulation : No information.
Mobility in soil : No information.

13. Disposal considerations

Product disposal : Waste disposal should be in accordance with existing federal, state and local environmental regulations.

14. Transport information

Transportation : Containers should be inspected before shipment, so as to ensure that the containers do not leak, drop or damage during transportation. Transport vehicles should be equipped with corresponding varieties and quantities of fire fighting equipment and leak emergency treatment equipment. It is strictly forbidden to mix with oxidants and edible chemicals. It is forbidden to load and unload mechanical equipment and tools prone to sparks. During transportation, we should prevent sunshine, rain and high temperature.

15. Regulatory information

Regulatory Information : Chemical Dangerous Goods Safety Management Regulations, Implementing Rules hazardous chemicals safety management regulations, workplace safe use of chemicals and other regulations have been properly for safe use of hazardous chemicals, production, storage, transport, handling, etc. regulations.

This report is considered invalidated without the Special Seal for Inspection of the Beide (Shenzhen) Product Service Limited, This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Beide (Shenzhen) Product Service Limited, this test report shall not be copied except in full and published as advertisement.

16. Other information

The above information is based on data on the basis of accurate, because this information may be applied under conditions beyond our control, or modified, and we do not bear any responsibility. This information to decide the case on purpose proprietary materials arranged in recipients.



This report is considered invalidated without the Special Seal for Inspection of the Beide (Shenzhen) Product Service Limited, This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Beide (Shenzhen) Product Service Limited, this test report shall not be copied except in full and published as advertisement.

Photo of sample



End of Report

This report is considered invalidated without the Special Seal for Inspection of the Beide (Shenzhen) Product Service Limited, This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Beide (Shenzhen) Product Service Limited, this test report shall not be copied except in full and published as advertisement.

BEIDE (Shenzhen) Product Service Limited
Address: 6F, Bldg E, Hourui 3rd Ind Zone, Xixiang, Bao'an Dist, Shenzhen, China
E-mail: admin@szbeide.com Phone: +86 0755 27454498 www.szbeide.com